

Settings	Summary
General Options	agrac1
VMware Tools	Shut Down
Power Management	Standby
Advanced	
General	Normal
CPUID Mask	Expose Nx flag to ...
Memory/CPU Hotplug	Disabled/Disabled
Boot Options	Delay 0 ms
Paravirtualization	Disabled
Fibre Channel NPIV	None
CPU/MMU Virtualization	Automatic
Swapfile Location	Use default settings

Settings

- Disable acceleration
- Enable logging

Debugging and Statistics

- Run normally
- Record Debugging Information
- Record Statistics
- Record Statistics and Debugging Information

Configuration Parameters

Click the Configuration Parameters button to edit the advanced configuration settings.

[Configuration Parameters...](#)

Configuration Parameters ×

Modify or add configuration parameters as needed for experimental features or as instructed by technical support. Entries cannot be removed.

Name	Value
deploymentPlatform	windows
disk.EnableUUID	true
disk.lodging	false
diskLib.dataCacheMaxReadAheadSize	0
diskLib.dataCacheMaxSize	0
diskLib.dataCacheMinReadAheadSize	0
diskLib.dataCachePageSize	4096
diskLib.maxUnsyncedWrites	0
ethernet0.generatedAddressOffset	0
ethernet0.pciSlotNumber	32
ethernet1.generatedAddressOffset	10
ethernet1.pciSlotNumber	35
evcCompatibilityMode	FALSE
guestCPUID.0	0000000d756e65476c65746e49656e69
guestCPUID.1	0001067a00010800800822010febfbff
guestCPUID.80000001	000000000000000000000000120100800
hostCPUID.0	0000000d756e65476c65746e49656e69

Add Row

OK Cancel Help

Help

OK Cancel

Configuration Parameters ×

Modify or add configuration parameters as needed for experimental features or as instructed by technical support. Entries cannot be removed.

Name	Value
deploymentPlatform	windows
disk.EnableUUID	true
disk.lodging	false
diskLib.dataCacheMaxReadAheadSize	0
diskLib.dataCacheMaxSize	0
diskLib.dataCacheMinReadAheadSize	0
diskLib.dataCachePageSize	4096
diskLib.maxUnsyncedWrites	0
ethernet0.generatedAddressOffset	0
ethernet0.pciSlotNumber	32
ethernet1.generatedAddressOffset	10
ethernet1.pciSlotNumber	35
evcCompatibilityMode	FALSE
guestCPUID.0	0000000d756e65476c65746e49656e69
guestCPUID.1	0001067a00010800800822010febfbff
guestCPUID.80000001	000000000000000000000000120100800
hostCPUID.0	0000000d756e65476c65746e49656e69

Add Row

OK Cancel Help

- General
- VMware Tools
- Power Management
- Advanced Features
- General
- CPU/Performance
- Memory
- Boot Options
- Parallelism
- Fibre Channel
- CPU/Performance
- Swap

Configuration Parameters ×

Modify or add configuration parameters as needed for experimental features or as instructed by technical support. Entries cannot be removed.

Name	Value
deploymentPlatform	windows
disk.EnableUUID	true
disk.lodging	false
diskLib.dataCacheMaxReadAheadSize	0
diskLib.dataCacheMaxSize	0
diskLib.dataCacheMinReadAheadSize	0
diskLib.dataCachePageSize	4096
diskLib.maxUnsyncedWrites	0
ethernet0.generatedAddressOffset	0
ethernet0.pciSlotNumber	32
ethernet1.generatedAddressOffset	10
ethernet1.pciSlotNumber	35
evcCompatibilityMode	FALSE
guestCPUID.0	0000000d756e65476c65746e49656e69
guestCPUID.1	0001067a00010800800822010febfbff
guestCPUID.80000001	000000000000000000000000120100800
hostCPUID.0	0000000d756e65476c65746e49656e69

Add Row

OK Cancel Help

Help

OK

Cancel

Configuration Parameters

Modify or add configuration parameters as needed for experimental features or as instructed by technical support. Entries cannot be removed.

Name	Value
deploymentPlatform	windows
disk.EnableUUID	true
disk.lodging	false
diskLib.dataCacheMaxReadAheadSize	0
diskLib.dataCacheMaxSize	0
diskLib.dataCacheMinReadAheadSize	0
diskLib.dataCachePageSize	4096
diskLib.maxUnsyncedWrites	0
ethernet0.generatedAddressOffset	0
ethernet0.pciSlotNumber	32
ethernet1.generatedAddressOffset	10
ethernet1.pciSlotNumber	35
evcCompatibilityMode	FALSE
guestCPUID.0	0000000d756e65476c65746e49656e69
guestCPUID.1	0001067a000108000800822010febfbff
guestCPUID.80000001	000000000000000000000000120100800
guestCPUID.0	0000000d756e65476c65746e49656e69

Add Row

OK Cancel Help

Help

OK Cancel

Configuration Parameters

Modify or add configuration parameters as needed for experimental features or as instructed by technical support. Entries cannot be removed.

Name	Value
deploymentPlatform	windows
disk.EnableUUID	true
disk.lodging	false
diskLib.dataCacheMaxReadAheadSize	0
diskLib.dataCacheMaxSize	0
diskLib.dataCacheMinReadAheadSize	0
diskLib.dataCachePageSize	4096
diskLib.maxUnsyncedWrites	0
ethernet0.generatedAddressOffset	0
ethernet0.pciSlotNumber	32
ethernet1.generatedAddressOffset	10
ethernet1.pciSlotNumber	35
evcCompatibilityMode	FALSE
guestCPUID.0	0000000d756e65476c65746e49656e69
guestCPUID.1	0001067a00010800800822010febfbff
guestCPUID.80000001	000000000000000000000000120100800
guestCPUID.0	0000000d756e65476c65746e49656e69

Add Row

OK Cancel Help

Help

OK

Cancel

Configuration Parameters

Modify or add configuration parameters as needed for experimental features or as instructed by technical support. Entries cannot be removed.

Name	Value
deploymentPlatform	windows
disk.EnableUUID	true
disk.lodging	false
diskLib.dataCacheMaxReadAheadSize	0
diskLib.dataCacheMaxSize	0
diskLib.dataCacheMinReadAheadSize	0
diskLib.dataCachePageSize	4096
diskLib.maxUnsyncedWrites	0
ethernet0.generatedAddressOffset	0
ethernet0.pciSlotNumber	32
ethernet1.generatedAddressOffset	10
ethernet1.pciSlotNumber	35
evcCompatibilityMode	FALSE
guestCPUID.0	0000000d756e65476c65746e49656e69
guestCPUID.1	0001067a00010800800822010febfbff
guestCPUID.80000001	000000000000000000000000120100800
guestCPUID.0	0000000d756e65476c65746e49656e69

Add Row

OK

Cancel

Help

Help

OK

Cancel

Configuration Parameters

Modify or add configuration parameters as needed for experimental features or as instructed by technical support. Entries cannot be removed.

Name	Value
deploymentPlatform	windows
disk.EnableUUID	true
disk.lodging	false
diskLib.dataCacheMaxReadAheadSize	0
diskLib.dataCacheMaxSize	0
diskLib.dataCacheMinReadAheadSize	0
diskLib.dataCachePageSize	4096
diskLib.maxUnsyncedWrites	0
ethernet0.generatedAddressOffset	0
ethernet0.pciSlotNumber	32
ethernet1.generatedAddressOffset	10
ethernet1.pciSlotNumber	35
evcCompatibilityMode	FALSE
guestCPUID.0	0000000d756e65476c65746e49656e69
guestCPUID.1	0001067a00010800800822010febfbff
guestCPUID.80000001	000000000000000000000000120100800
hostCPUID.0	0000000d756e65476c65746e49656e69

Add Row

OK Cancel Help

Help

OK Cancel

Settings	Summary
General Options	agrac2
VMware Tools	Shut Down
Power Management	Standby
Advanced	
General	Normal
CPUID Mask	Expose Nx flag to ...
Memory/CPU Hotplug	Disabled/Disabled
Boot Options	Delay 0 ms
Paravirtualization	Disabled
Fibre Channel NPIV	None
CPU/MMU Virtualization	Automatic
Swapfile Location	Use default settings

Settings

Disable acceleration

Enable logging

Debugging and Statistics

Run normally

Record Debugging Information

Record Statistics

Record Statistics and Debugging Information

Configuration Parameters

Click the Configuration Parameters button to edit the advanced configuration settings.

[Configuration Parameters...](#)

 Configuration Parameters ✕

Modify or add configuration parameters as needed for experimental features or as instructed by technical support. Entries cannot be removed.

Name	Value
deploymentPlatform	windows
disk.EnableUUID	true
disk.lodging	false
diskLib.dataCacheMaxReadAheadSize	0
diskLib.dataCacheMaxSize	0
diskLib.dataCacheMinReadAheadSize	0
diskLib.dataCachePageSize	4096
diskLib.maxUnsyncedWrites	0
ethernet0.generatedAddressOffset	0
ethernet0.pciSlotNumber	32
ethernet1.generatedAddressOffset	10
ethernet1.pciSlotNumber	35
evcCompatibilityMode	FALSE
guestCPUID.0	0000000d756e65476c65746e49656e69
guestCPUID.1	0001067a00010800800822010febfbff
guestCPUID.80000001	000000000000000000000000120100800
hostCPUID.0	0000000d756e65476c65746e49656e69

Add Row

OK Cancel Help

Configuration Parameters

Modify or add configuration parameters as needed for experimental features or as instructed by technical support. Entries cannot be removed.

Name	Value
deploymentPlatform	windows
disk.EnableUUID	true
disk.locking	false
diskLib.dataCacheMaxReadAheadSize	0
diskLib.dataCacheMaxSize	0
diskLib.dataCacheMinReadAheadSize	0
diskLib.dataCachePageSize	4096
diskLib.maxUnsyncedWrites	0
ethernet0.generatedAddressOffset	0
ethernet0.pciSlotNumber	32
ethernet1.generatedAddressOffset	10
ethernet1.pciSlotNumber	35
evcCompatibilityMode	FALSE
guestCPUID.0	0000000d756e65476c65746e49656e69
guestCPUID.1	0001067a00010800800822010febfbff
guestCPUID.80000001	000000000000000000000000120100800
hostCPUID.0	0000000d756e65476c65746e49656e69

Add Row

OK Cancel Help

Help

OK

Cancel

- General
- VMware
- Power M
- Advanc
- Gene
- CPU
- Mem
- Boot
- Parav
- Fibre
- CPU/
- Swap

Configuration Parameters

Modify or add configuration parameters as needed for experimental features or as instructed by technical support. Entries cannot be removed.

Name	Value
deploymentPlatform	windows
disk.EnableUUID	true
disk.lodging	false
diskLib.dataCacheMaxReadAheadSize	0
diskLib.dataCacheMaxSize	0
diskLib.dataCacheMinReadAheadSize	0
diskLib.dataCachePageSize	4096
diskLib.maxUnsyncedWrites	0
ethernet0.generatedAddressOffset	0
ethernet0.pciSlotNumber	32
ethernet1.generatedAddressOffset	10
ethernet1.pciSlotNumber	35
evcCompatibilityMode	FALSE
guestCPUID.0	0000000d756e65476c65746e49656e69
guestCPUID.1	0001067a00010800800822010febfbff
guestCPUID.80000001	000000000000000000000000120100800
hostCPUID.0	0000000d756e65476c65746e49656e69

Add Row

OK Cancel Help

Help

OK Cancel

Configuration Parameters

Modify or add configuration parameters as needed for experimental features or as instructed by technical support. Entries cannot be removed.

Name	Value
deploymentPlatform	windows
disk.EnableUUID	true
disk.lodging	false
diskLib.dataCacheMaxReadAheadSize	0
diskLib.dataCacheMaxSize	0
diskLib.dataCacheMinReadAheadSize	0
diskLib.dataCachePageSize	4096
diskLib.maxUnsyncedWrites	0
ethernet0.generatedAddressOffset	0
ethernet0.pciSlotNumber	32
ethernet1.generatedAddressOffset	10
ethernet1.pciSlotNumber	35
evcCompatibilityMode	FALSE
guestCPUID.0	0000000d756e65476c65746e49656e69
guestCPUID.1	0001067a00010800800822010febfbff
guestCPUID.80000001	000000000000000000000000120100800
hostCPUID.0	0000000d756e65476c65746e49656e69

Add Row

OK Cancel Help

Configuration Parameters ×

Modify or add configuration parameters as needed for experimental features or as instructed by technical support. Entries cannot be removed.

Name	Value
deploymentPlatform	windows
disk.EnableUUID	true
disk.lodging	false
diskLib.dataCacheMaxReadAheadSize	0
diskLib.dataCacheMaxSize	0
diskLib.dataCacheMinReadAheadSize	0
diskLib.dataCachePageSize	4096
diskLib.maxUnsyncedWrites	0
ethernet0.generatedAddressOffset	0
ethernet0.pciSlotNumber	32
ethernet1.generatedAddressOffset	10
ethernet1.pciSlotNumber	35
evcCompatibilityMode	FALSE
guestCPUID.0	0000000d756e65476c65746e49656e69
guestCPUID.1	0001067a00010800800822010febfbff
guestCPUID.80000001	000000000000000000000000120100800
hostCPUID.0	0000000d756e65476c65746e49656e69

Add Row

OK Cancel Help

- General
- VMware
- Power M
- Advanc

 Configuration Parameters ✕

Modify or add configuration parameters as needed for experimental features or as instructed by technical support. Entries cannot be removed.

Name	Value
deploymentPlatform	windows
disk.EnableUUID	true
disk.lodging	false
diskLib.dataCacheMaxReadAheadSize	0
diskLib.dataCacheMaxSize	0
diskLib.dataCacheMinReadAheadSize	0
diskLib.dataCachePageSize	4096
diskLib.maxUnsyncedWrites	0
ethernet0.generatedAddressOffset	0
ethernet0.pciSlotNumber	32
ethernet1.generatedAddressOffset	10
ethernet1.pciSlotNumber	35
evcCompatibilityMode	FALSE
guestCPUID.0	0000000d756e65476c65746e49656669
guestCPUID.1	0001067a00010800800822010febfbff
guestCPUID.80000001	000000000000000000000000120100800
hostCPUID.0	0000000d756e65476c65746e49656669

Add Row

OK Cancel Help

Help

OK Cancel

Configuration Parameters

Modify or add configuration parameters as needed for experimental features or as instructed by technical support. Entries cannot be removed.

Name	Value
deploymentPlatform	windows
disk.EnableUUID	true
disk.lodging	false
diskLib.dataCacheMaxReadAheadSize	0
diskLib.dataCacheMaxSize	0
diskLib.dataCacheMinReadAheadSize	0
diskLib.dataCachePageSize	4096
diskLib.maxUnsyncedWrites	0
ethernet0.generatedAddressOffset	0
ethernet0.pciSlotNumber	32
ethernet1.generatedAddressOffset	10
ethernet1.pciSlotNumber	35
evcCompatibilityMode	FALSE
guestCPUID.0	0000000d756e65476c65746e49656e69
guestCPUID.1	0001067a00010800800822010febfbff
guestCPUID.80000001	000000000000000000000000120100800
hostCPUID.0	0000000d756e65476c65746e49656e69

Add Row

OK Cancel Help